



comm\_kliplok-barg\_flash

Barge	Flashing
Cross Se	








comm\_kliplok-cabl\_entry

Cable	Entry
-------	-------








comm\_kliplok-corn\_external

Wall Cladding-corner Flashing	
Plan View	







comm\_kliplok-door\_open\_iso


Wall Cladding -	Door Opening
Isometric View	_






## **ELEVATION**

SIDE VIEW






comm\_kliplok-door\_open\_ortho

Wall Cladding - Door Opening







Roof Area Drained	Downpipe Size	Gutter Size	Cladding Depth	Dimension "X"	Bracket Size	"Z" Centres
150	Ø100 or		Flat	180	30x5	
150	100x75	ST175	Low (28mm)	210	30x5	900
250	Ø150 or 125x100		Medium (38mm)	220	30x5	
250			High (55mm)	235	30x5	
350	350 Ø150 or 150x100		Flat	305	40x5	
400		OT200	Low (28mm)	335	40x5	600
	Ø200 or	ST300	Medium (38mm)	345	40x5	600
	200x100		High (55mm)	360	40x5	

comm\_kliplok-gutter

L			comm_kliplok-guti
	Gutter Detail		All dimensions in millimetres
	Cross Section		Scale 1:5 16/01/12
	© 2012. The copyright of this document is the property of Steel & Tube Holdings Limited and shall not be reproduced, copied, loaned or disposed of directly, or indirectly, nor used for any purpose other than that for which it is specifically furnished without prior consent.	www.steelandtube.co.nz Technical helpline 0800 333 247	Quick Code: FB05








comm\_kliplok-gutt\_ladder\_bracket




## Roofing Commercial Detail Kliplok



 $comm\_kliplok\text{-}jctn\_hori\text{-}clad\_wall$ 

Junction Between Horizontal Metal Cladding and Masonry Wall






## Exterior

comm\_kliplok-jctn\_tilt\_wall\_2

Tilt Panel / Wall Junction
Vertical Cladding Cross Section






Exterior

comm\_kliplok-jctn\_tilt\_wall-hori

Tilt Panel / W	/all Junction
Horizontal Claddir	g Cross Section






comm\_kliplok-jctn\_wall\_floor

Wall Cladding -	Floor Junction
Cross Section	






С	omm_	_kliplol	k-para_	_chased_	_head	_flash

Chased Parapet Head Flashing	
Cross Section	






comm	kliplok-p	ara_chased	side

Chased Parapet Side Flashing	
Cross Section	








All dimensions in millimetres Scale 1:5 16/01/12	comm_kliplok-para_lined_head_flash
	Scale 1:5

Lined Parapet Head Flashing
Cross Section

© 2012. The copyright of this document is the property of Steel & Tube Holdings Limited and shall not be reproduced, copied, loaned or disposed of directly, or indirectly, nor used for any purpose other than that for which it is specifically furnished without prior consent






comm_	_kliplok	-para_	lined	_side_	_flash




Roofing Commercial Detail Kliplok




comm\_kliplok-pene\_round\_mid

Penetration Flashing - Round Flue








comm\_kliplok-pene\_round\_ridge

Penetration Flashing -	Round Flue
------------------------	------------







Note:

Use back flashing to ridge where possible.

comm\_kliplok-pene\_square\_mid








comm	kliplok-	pene so	uare_ridg	ıe

Penetration Flashing -	Back Flashed
------------------------	--------------






comm\_kliplok-port\_eaves

<b>Eaves Detail</b>	Girt Outside Portal Leg	Offset Cleat
Cross Section	•	






comm\_kliplok-port\_head\_flash\_cleat

Head Flash Girt Outside Portal Leg, Offset Cleat	
Cross Section	






comm\_kliplok-port\_head\_flash\_girt

Head Flash Girts In Between Columns	
Cross Section	






comm\_kliplok-port\_head\_flash

Head Flash Girt Outside Portal L	eg
Cross Section	•











comm\_kliplok-port\_raft\_end\_lap

End	Lap	Detail
Cross	Section	on








comm\_kliplok-port\_ridge


Ridg	е	Αŗ	ex
Cross	Se	ectio	on





comm\_kliplok-purl\_step\_flash


Step Flashing Extended	Purlin Cleats
Cross Section	



Dimension y equal to Depth of gutter at outflow
Dimension x equal to width of gutter plus 3mm
Dimension z greater than or equal to 25mm
Cross-section area of overflow greater than or equal to Cross-section area of outlet

comm\_kliplok-rain\_head

Rainwater Head Dimensions	All dimensions in millimetres Scale 1:2 16/01/12	
© 2012. The copyright of this document is the property of Steel & Tube Holdings Limited and shall not be reproduced, copied, loaned or disposed of directly, or indirectly, nor used for any purpose other than that for which it is specifically furnished without prior consent.	www.steelandtube.co.nz Technical helpline 0800 333 247	Quick Code: FB13



## NOTES:

- Netting and underlay omitted for clarity
- Stopend top edge of sheet

comm\_kliplok-roof\_hip\_raft\_purl

Hip	Rafter	Purlin
Isom	etric View	