


vrib\_multiklad-barg\_flush


Flush Barge For Vertical Rib Profile	
Cross Section	





vrib\_multiklad-corn\_ext


Corner Flashing For Vertical Rib Profile
Cover Flashed External Corner



Technical helpline 0800 333 247




Roofing Vertical Rib Cladding Multiklad



vrib\_multiklad-jctn\_vert\_butt

Vertical Butt Joint (for Changes In Cladding Material)






vrib\_multiklad-jctn\_wall\_floor

Bottom Of Cladding For Vertical Rib Profile	
Cross Section	







## Note:


1: For raking soffits, stop end horizontal sheets at the sloping join.

vrib\_multiklad-soff\_hori

Soffit Line -	Vertical	Rib Profile
Cross Section		



# Roofing Vertical Rib Cladding Multiklad




### Note:

- Cavity battens containing copper must be separated from steel cladding by building paper, building wrap, DPC/PVC strips or by painting, otherwise use uPVC Cavibat TM.
- 2. For raking soffits, stop end horizontal sheets at the sloping join.

vrib\_multiklad-soff\_rake

Soffit Line - Vertical Rib Profile Sloping S	Soffit
Cross Section	






vrib\_multiklad-wind\_alum\_dfx\_flash

Framed Window for Vertical Rib Profile - Direct Fixed
Window Flashing Layout Cross Section






 Architraves are shown for consistency only, detail may be used with rebated liner.

vrib\_multiklad-wind\_alum\_dfx\_head

Framed Window for Vertical Rib Profile	è
Head Cross Section	






- 1. Window profile to be selected to achieve cover shown in details.
- Architraves are shown for consistency only, detail may be used with rebated liner.

vrib\_multiklad-wind\_alum\_dfx\_jamb

# Framed Window for Vertical Rib Profile Jamb Cross Section






- 1: Window profile to be selected to achieve cover shown in details.
- 2: Architraves are shown for consistency only, detail may be used with rebated liner.
- 3: Make allowance between packer at sills for support brackets for large windows. Sash support brackets require specific design, and shall be supplied by the window manufacturer.

vrib\_multiklad-wind\_alum\_dfx\_sill

Framed Window for Vertical Rib Profile	•
Sill Cross Section	



# Roofing Vertical Rib Cladding Multiklad




#### NOTES

1: Architraves are shown for consistency only, detail may be used with rebated liner.

vrib\_multiklad-wind\_alum\_rece\_head

Recessed Windows for Vertical Rib Profile - Direct Fixed Head Cross Section






- . Window profile to be selected to achieve cover shown in details.
- Architraves are shown for consistency only, detail may be used with rebated liner.

vrib\_multiklad-wind\_alum\_rece\_jamb





- 1: Window profile to be selected to achieve cover shown in details.
- 2: Architraves are shown for consistency only, detail may be used with rebated liner.
- Make allowance between packer at sills for support brackets for large windows. Sash support brackets require specific design, and shall be supplied by the window manufacturer.

vrib\_multiklad-wind\_alum\_rece\_sill

Recessed Windows for Vertical Rib Profile - Direct Fixed
Sill Cross Section