



# TJEP GAS-POWERED NAILERS

PRODUCT GUIDE






# THE NEW GENERATION OF TJEP GAS-TOOLS

- > Improved design and ergonomics
- > Quick and effective tools
- > New Li-ion battery with fast charging

TJEP gas-powered nailers (Cordless Nailers) are based on gas technology and particularly for the professional user who wants great power and maximum freedom of movement.



FIND OUT MORE,  
WATCH THE VIDEO

## OVERVIEW OF SYMBOLS



TJEP fuel cell, yellow, 78 mm



TJEP fuel cell, red, 165 mm.  
Full function down to -15°C



TJEP fuel cell, purple, 165 mm.  
Full function down to -15°C  
Extra power for 100 mm framer







# TJEP GRF 34/100 EXCELLENT GAS

## CORDLESS GAS FRAMING NAILER



### SPECIFICATIONS

PART #:	FNZ-100200
EAN NO.	5702557002001
TYPE	GAS NAILER
SIZE (L W H)	347 X 120 X 401
WEIGHT	4.1 KG
SHOT PER FUEL CELL	CA. 1000
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	63 - 100 MM
DIAMETER	2.8 - 3.3 MM
ANGLE	34 DEGREES

TJEP GRF 34/100 Excellent GAS is the latest addition within nailers that do not use a compressor and hose. With its low weight and extreme power, TJEP GRF 34/100 Excellent GAS is one of the most versatile gas nailers on the market and it can shoot up to 100 mm ring nail - even in hard construction wood.



### KEY PRODUCT FEATURES

- + Great balance
- + Li-ion battery - approx. 8000 shots per charge
- + Battery indicator
- + Extreme power - one of the strongest in the market
- + Adjustable depth control
- + Belt hook
- + No-mark nose

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-FT75BR	3.05 X 75 MM COLLATED NAIL	3000	BRIGHT
FNZ-FT90BR/1	3.15 X 90 MM COLLATED NAIL	3000	BRIGHT
FNZ-H90315BR	3.15 X 90 MM D HEAD COLLATED NAIL	1000	BRIGHT
FNZ-GE25ASBF	2.80 X 65 MM AG FLOORING NAIL	2000	GALV
FNZ-FT75GAL	3.05 X 75 MM D HEAD COLLATED	3000	GALV
FNZ-FT90GAL	3.15 X 90 MM COLLATED NAIL	3000	GALV
FNZ-833028	3.40 X 100 MM COLLATED NAIL ROUND HD RING SHANK	1500	GALV
FNZ-H90315GAL	3.15 X 90 MM D HEAD, COLLATED NAIL	1000	GALV
FNZ-FT75SS	3.05 X 75 MM D HEAD COLLATED NAIL RING SHANK	1000	STAINLESS STEEL
FNZ-FT90SS	3.15 X 90 MM COLLATED NAIL RING SHANK	1000	STAINLESS STEEL
FNZ-FTR90SS	3.15 X 90 MM ROUND HD COLLATED NAIL	1000	STAINLESS STEEL
FNZ - 833398	3.15 X 100 MM ROUND HEAD COLLATED NAIL T316 RING SHANK	810	STAINLESS STEEL



# TJEP GRF 34/90 GAS 3G

## CORDLESS GAS FRAMING NAILER



### SPECIFICATIONS

PART #:	FNZ-100205
EAN NO.	5702551002056
TYPE	GAS NAILER
SIZE (L W H)	381 X 108 X 377 MM
WEIGHT	3.68 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	50 - 90 MM 50 - 80 MM RING NAILS
DIAMETER	2.8 - 3.1 MM
ANGLE	34 DEGREES

Gas nailer with high power for raftering, plywood, laths, siding, flooring, boarding, decking etc.

### KEY PRODUCT FEATURES

- + Great balance
- + Adjustable depth control
- + Rubber pad – anti-skid
- + Easy to clean
- + Rafter/belt hook
- + Rear two-step loading
- + No-mark nose (Flooring and Decra nose also available)

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-FT50BRR	2.87 X 50MM COLLATED NAIL RING SHANK	3000	BRIGHT
FNZ-FT75BR	3.05 X 75 MM COLLATED NAIL	3000	BRIGHT
FNZ-FT90BR/1	3.15 X 90 MM COLLATED NAIL	3000	BRIGHT
FNZ-H90315BR	3.15 X 90 MM D HEAD COLLATED NAIL	1000	BRIGHT
FNZ-FT50GAL	2.87 X 50 MM COLLATED NAIL	3000	GALV
FNZ-FTR50GAL	2.87 X 50 MM RND HD COLLATED NAIL	1000	GALV
FNZ-GE25ASBFT	2.87MM X 65MM RING SHANK D HEAD HD GALV GUN NAIL	2500	GALV
FNZ-FTR65GAL	2.87 X 65 MM RND HD COLLATED NAIL	1000	GALV
FNZ-FT75GAL	3.05 X 75 MM D HEAD COLLATED	3000	GALV
FNZ-FT90GAL	3.15 X 90 MM COLLATED NAIL	3000	GALV
FNZ-H90315GAL	3.15 X 90 MM D HEAD COLLATED NAIL	1000	GALV
FNZ-FTR50SS	2.87 X 50 MM RND HD COLLATED NAIL	1000	STAINLESS STEEL
FNZ-FTR75SS	3.05 X 75 MM RND HD COLLATED NAIL	1000	STAINLESS STEEL
FNZ-FT75SS	3.05 X 75 MM D HEAD COLLATED NAIL RING SHANK	1000	STAINLESS STEEL
FNZ-FTR90SS	3.15 X 90 MM RND HD COLLATED NAIL	1000	STAINLESS STEEL
FNZ-FT90SS	3.15 X 90 MM COLLATED NAIL RING SHANK	1000	STAINLESS STEEL



# TJEP VF-16/64 GAS 3G FINISH NAILER

## CORDLESS 16G ANGLE BRADDER



### SPECIFICATIONS

PART #	FNZ-100230
EAN NO.	5702551002308
TYPE	GAS NAILER
SIZE (L W H)	350 X 96 X 270 MM
WEIGHT	2.20 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	32 - 64 MM
DIAMETER	1.6 MM
ANGLE	20 DEGREES

### KEY PRODUCT FEATURES

- + Li-ion battery - approx. 8000 shots per charge
- + Battery indicator
- + Quick removal of 'trapped' brad
- + Adjustable depth control
- + Rear two-step loading
- + Belt hook
- + No-mark nose

For all second fix and joinery tasks, including coving and skirting etc.

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-842432	16G ANGLE BRAD 32 MM	2000	GALV
FNZ-842438	16G ANGLE BRAD 38 MM	2000	GALV
FNZ-842445	16G ANGLE BRAD 45 MM	2000	GALV
FNZ-842451	16G ANGLE BRAD 51 MM	2000	GALV
FNZ-842463	16G ANGLE BRAD 63 MM	2000	GALV
FNZ-842433	16G ANGLE BRAD 32 MM	2000	STAINLESS STEEL
FNZ-842439	16G ANGLE BRAD 38 MM	2000	STAINLESS STEEL
FNZ-842452	16G ANGLE BRAD 51 MM	2000	STAINLESS STEEL



# TJEP AB-15/64 GAS 3G FINISH NAILER

## CORDLESS 15G ANGLE DA TYPE ANGLE BRADDER

### SPECIFICATIONS

PART #	FNZ-100235
EAN NO.	5702551002353
TYPE	GAS BRADDER
SIZE (L W H)	350 X 135 X 305 MM
WEIGHT	2.32 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	25 - 64 MM
DIAMETER	1.8 MM
ANGLE	34 DEGREES

For all second fix and joinery tasks including wood ceiling, coving, skirting, glazing beads etc.

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-842525	15G DA ANGLE BRAD 25 MM	4000	GALV
FNZ-842532	15G DA ANGLE BRAD 32 MM	4000	GALV
FNZ-842538	15G DA ANGLE BRAD 38 MM	4000	GALV
FNZ-842545	15G DA ANGLE BRAD 45 MM	4000	GALV
FNZ-842550	15G DA ANGLE BRAD 50 MM	4000	GALV
FNZ-842564	15G DA ANGLE BRAD 64 MM	4000	GALV
FNZ-842526	15G DA ANGLE BRAD 25 MM	4000	STAINLESS STEEL
FNZ-842533	15G DA ANGLE BRAD 32 MM	4000	STAINLESS STEEL
FNZ-842539	15G DA ANGLE BRAD 38 MM	4000	STAINLESS STEEL
FNZ-842551	15G DA ANGLE BRAD 50 MM	4000	STAINLESS STEEL
FNZ-842565	15G DA ANGLE BRAD 64 MM	4000	STAINLESS STEEL



### KEY PRODUCT FEATURES

- + Li-ion battery - approx. 8000 shots per charge
- + Battery indicator
- + Quick removal of 'trapped' brad
- + Adjustable depth control
- + Rear two-step loading
- + Belt hook and non slip grip
- + No-mark nose



# TJEP CP-40 GAS NAILER

## CORDLESS CONCRETE NAILER

### SPECIFICATIONS

PART #	FNZ-100245
EAN NO.	5702551002452
TYPE	GAS NAILER
SIZE (L W H)	327 X 130 X 385 MM
WEIGHT	3.8 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	15 - 40 MM
DIAMETER	2.6 - 3.0 MM

Tjep CP-40 gas 3G for concrete nails. The 3rd generation gas nailer from TJEP. New design with proven mechanism, now with 7.2 V Li-ion battery. Gas nailer with high impact force for attaching bottom plate steel frames to concrete, floor and ceiling on concrete, steel, stone and plaster. Requires no cable, hose or compressor. Full flexibility without compromising on quality.

Simply insert the battery and gas and you're ready to go. Rubber collar protects against concrete splinters.

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-839220	20 MM CONCRETE/STEEL PIN TJEP	500	GALV
FNZ-839299	30 MM CONCRETE/STEEL PIN TJEP	500	GALV
FNZ-839295	40 MM CONCRETE/STEEL PIN TJEP	500	GALV



### KEY PRODUCT FEATURES

- + Lightweight and compact
- + Short magazine for approx. 20 concrete nails



# TJEP ST-15/50 GAS 3G FINISH NAILER

## CORDLESS 15G STRAIGHT BRADDER



### SPECIFICATIONS

PART #	FNZ-100240
EAN NO.	5702551002407
TYPE	GAS NAILER
SIZE (L W H)	350 X 86 X 286 MM
WEIGHT	1.10 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	15 - 50 MM
DIAMETER	1.8 MM

The 3rd generation gas nailer from TJEP. New design with proven mechanism, now with 7.2 V Li-ion battery technology for professional installation of skirting and scotia boards in concrete or steel framed walls with hardened steel brads etc.



### KEY PRODUCT FEATURES

- + No-mark nose
- + Safety bracket integrate in nose
- + Adjustable depth control
- + Non-slip grip
- + Rafter/belt hook

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-842230	30 MM ST-50 FN STRAIGHT HARDENED FINISH NAIL	3000	GALV
FNZ-842240	40 MM ST-50 FN STRAIGHT HARDENED FINISH NAILS	3000	GALV
FNZ-842250	50 MM ST-50 FN STRAIGHT HARDENED FINISH NAILS	3000	GALV
FNZ-842262	ASSORTMENT 400 OF EA 20, 25, 30, 35, 40 & 50 MM ST-50 FN STRAIGHT FINISH NAILS,	2400	GALV



# TJEP KA 4060 GAS 3G PRODUCT NAILER

## CORDLESS PRODUCT NAILER



### SPECIFICATIONS

PART #	FNZ-100255
EAN NO.	5702551002551
TYPE	GAS NAILER
SIZE (L W H)	425 X 108 X 393 MM
WEIGHT	4.02 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	40 - 60 MM
DIAMETER	4.0 MM
ANGLE	34 DEGREES

With this gas-powered anchor nailer you will quickly get started with your task. Insert batteries and fuel cell in the tool - and you are ready to work! No compressor means high freedom of movement.

### KEY PRODUCT FEATURES



- + Precise insertion in nail plates & joist hangers
- + Non-slip grip – extremely low recoil
- + Adjustable depth control
- + Rafter/belt hook
- + Rear two-step loading

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-JH38G	3.30 X 38 MM COLLATED JOIST HANGER NAIL	3000	GALV
FNZ-JHSS-3338	3.30 X 38 MM COLLATED JOIST HANGER NAIL	1000	STAINLESS



# TJEP PQZ-75 GAS 3G STAPLER

## CORDLESS Q AND N TYPE STAPLER

### SPECIFICATIONS

PART #	FNZ-100265
EAN NO.	5702551002650
TYPE	GAS STAPLER
SIZE (L W H)	375 X 108 X 351 MM
WEIGHT	3.96 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH		35 - 75 MM
WIDTH	Q SERIES STAPLE N SERIES STAPLE	PQ: 11.3 MM PZ: 10.8 MM
DIAMETER	Q SERIES STAPLE N SERIES STAPLE	PQ: 1.9 × 1.7 MM PZ: 1.6 × 1.4 MM

Gas stapler for both PQ and PZ staples. High power and adjustable depth control ensures perfect insertion of staples up to 75 mm long.

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-6512PG	SPOTNAIL Q SERIES STAPLE 38 MM	5000	GALV
FNZ-6516PG	SPOTNAIL Q SERIES STAPLE 50 MM	5000	GALV
FNZ-6520PG	SPOTNAIL Q SERIES STAPLE 63 MM	5000	GALV
FNZ-6612	SPOTNAIL N SERIES STAPLE 38 MM	10000	GALV
FNZ-6616PG	SPOTNAIL N SERIES STAPLE 50 MM	10000	GALV
FNZ-6616PS	SPOTNAIL N SERIES STAPLE 50 MM	10000	STAINLESS STEEL
FNZ-NI7SS10K	38 MM N SERIES STAPLE SS304 DIVERGENT POINT	10000	STAINLESS STEEL



### KEY PRODUCT FEATURES

- + Great balance
- + Non-slip grip – extremely low recoil
- + Adjustable depth control
- + Top load
- + Smooth no-mark nose
- + Belt hook

# TJEP FS-40 GAS 3G FENCING STAPLER

## CORDLESS FENCING STAPLER

### SPECIFICATIONS

PART #	FNZ-100260
EAN NO.	5702551002605
TYPE	GAS NAILER
SIZE (L W H)	373 X 108 X 356 MM
WEIGHT	3.93 KG
SHOT PER FUEL CELL	CA. 1100
SHOT BEFORE RECHARGING	CA. 8000

### FASTENERS

LENGTH	25 - 40 MM
DIAMETER	12.8 MM
WIDTH	3.15 MM

Gas-powered stapler for fastening of wire fences etc. Perfect for the demanding tasks, and no need for compressors and hoses. The stapler is well-balanced and extremely powerful, ensuring perfect insertion, even in hardwood. Depth of drive can be adjusted, so the staple can be inserted fully or allowed some clearance (extra nose for mounting in hard wood is included).

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-841988	FENCING STAPLE 33 MM	1500	GALV
FNZ-841990	FENCING STAPLE 40 MM	1500	GALV



### KEY PRODUCT FEATURES

- + Great balance
- + Non-slip grip – extremely low recoil
- + Adjustable depth control
- + Top load
- + Smooth no-mark nose
- + Belt hook



# TJEP CR 5/9 – 24 BATTERY CORDLESS C-RINGER

## CORDLESS C-RINGER

### SPECIFICATIONS

PART #	FNZ-115993
EAN NO.	5702551159934
TYPE	C - RINGER
SIZE (L W H)	344 X 203 X 249 MM
WEIGHT	2.58 KG
THICKNESS	5 - 9 MM

### FASTENERS

WIDTH	24 MM
DIAMETER	1.8 MM

New! Battery powered cordless C Ring (Hog Ring) tool by TJEP. Fasten hog rings to chain link or wire mesh with no manual effort. Greatly increase the speed of your next job.

The CR 5/9 comes with two li-ion batteries, carrying case, and wall charger. Collated hog rings available in stainless steel or galvanised.



### USED FOR

- + Car seats
- + Poultry cages
- + Traps
- + Mattresses
- + Insulation wire
- + Wire fencing

## CONSUMABLES

PART #	PRODUCT DESCRIPTION	PACK SIZE	FINISH
FNZ-115996	1.8 C RINGS C24-23.7 MM HOG CLIP HD GALV	10,000	GALV
FNZ-C24SS	1.8 C RINGS C24-23.7 MM HOG CLIP SS 304	5000	STAINLESS STEEL

# TJEP ACCESSORIES

## TJEP FUEL CELLS



**TJEP ALL-SEASON FUEL CELL RED RING**

PART #	FNZ-100856
EAN NO.	5702551008560
HEIGHT	165 MM
QUANTITY	12 PCS.
SHOT	CA. 1,100 PCS.



**TJEP ALL-SEASON FUEL CELL PURPLE RING\***

PART #	FNZ-100864
EAN NO.	5702551008645
HEIGHT	165 MM
QUANTITY	12 PCS.
SHOT	CA. 1,000 PCS.

\*EXTRA POWER FOR 100 MM FRAMER



**TJEP FUEL CELL YELLOW RING**

PART #	FNZ-100881
EAN NO.	5702551008812
HEIGHT	78 MM
QUANTITY	12 PCS.
SHOT	CA. 1,100 PCS.



**TJEP CLEANER**

PART #	FNZ-100890
EAN NO.	5702551008904
CONTENTS	500 ML
QUANTITY	12 PCS.
SHOT	CA. 1,100 PCS.









# NATIONWIDE STEEL SOLUTIONS

Steel & Tube offers a comprehensive range of steel and allied products through a nationwide product distribution and processing network, so no matter where you are in the country we can deliver product to you.

As experts in our field, we pride ourselves in being able to offer a consistent end-to-end customer experience, advising, sourcing and supplying customer with their steel requirements. And underlying everything we do, is our continued commitment to quality.



Fortress Fasteners Enquiries

**0800 425 262** | [sales@steelandtube.co.nz](mailto:sales@steelandtube.co.nz)

Steel	0800 478 335	Chain & Rigging	0800 100 260
Aluminium		Reticulation, Pipe & Cable Supports	0800 474 735
Reo and Mesh		Stainless	0800 426 787
Plate Processing		Hurricane Rural & Fencing	0800 800 947
Roofing & Cladding		Fortress Fasteners	0800 425 262
Purlins	0800 278 754	CFDL (ComFlor sales)	0508 332 546



**SHOP ONLINE**  
portal.steelandtube.co.nz



**CONTACT US**  
steelandtube.co.nz/contact

**FOLLOW US**    



**0800 478 335** | [steelandtube.co.nz](http://steelandtube.co.nz)